

Health Service Delivery Area Profile - 2021

Thompson Cariboo Shuswap

This profile provides an overview of the Thompson Cariboo Shuswap HSDA population in the areas of:


**Population Health | Health & Social Status | Acute Care
Home & Community Care | Mental Health & Substance Use | Health Characteristics**

The health indicators provided within this document are based on a conceptual framework developed by the Canadian Institute for Health Information (CIHI). This framework reflects the principle that health is not determined solely by medical care, but by a range of individual and population, social, and economic factors.

The Interior Health Data & Analytics Services Department produces a number of utilization and service reports. In addition to this Health Service Delivery Area (HSDA) Population Profile, 1) Local Health Area, 2) Interior Health Authority, and 3) Facility Profiles can be found on the [Interior Health website](#).

NOTE: On March 16, 2020, a public health emergency was declared in British Columbia due to the COVID-19 global pandemic. Data from 2019/20 Q4 and onwards may have been impacted by changes in medical services in response to the COVID-19 Pandemic

Interior Health Authority Thompson Cariboo Shuswap Health Service Delivery Area





Population Health

Population Health statistics provide information about past, present, and future demographics, with breakdowns by age, sex, and geographic region. These indicators include population counts, growth rates and densities, as well as vital statistics relating to births and deaths. Population Health information comes from Population Extrapolation for Organizational Planning with Less Error (PEOPLE), provided by BC Stats. This information includes estimates of past populations (1977 - 2021) and projections for the future populations (2021 - 2041) based on migration, employment, and growth trends.

FIGURE 1. Population by Local Health Area in the Thompson Cariboo Shuswap HSDA, 2021




FIGURE 1. This graph compares Local Health Area Populations within the Thompson Cariboo Shuswap Health Service Delivery Area.

SOURCE. PEOPLE 2021, BC Stats

TABLE 1. Population Density, 2021

Population	242,152
Area (Sq. Km)	120,157
Pop. Density per Sq. Km	2

TABLE 1. Population density represents the number of people living within one square kilometre. Lower densities indicate more rural areas which typically have lesser access to health services, while those living in urbanized areas with higher population densities typically have greater access to health services.

SOURCE. Summary Statistics, PEOPLE 2021, BC Stats

TABLE 2. Projected Population Growth, 2021 - 2026

All Ages	4.3%
65+	18%
75+	31%
85+	27%

TABLE 2. Population growth rates project the change in size of each age group over the next five years. These projections reflect a forecasting model that accounts for the trends in migration, employment, and past population change.

SOURCE. PEOPLE 2021, BC Stats

TABLE 3: Life Expectancy, 2020

	Female	Male	Average
Thompson Cariboo Shuswap	84	78	81
British Columbia	86	80	83

TABLE 3. Life expectancy can be viewed as a gauge of population health. It measures average lifespan from birth, of persons currently residing in a particular health region.

SOURCE. Demography and Population Statistics, BC Stats, March 2021



FIGURE 2. Age Demographic Trends, 1991 - 2041




FIGURE 2. Demographic trends over 50 years estimate (1991-2020) and project (2021-2041) the fluctuation of age groups within a population. Overall trends across Interior Health indicate a growth in the population ages 65+ and a decline in the population under age 45 between 1991 and 2041.

SOURCE. PEOPLE 2021, BC Stats

FIGURE 3. Population Pyramid, 2021




FIGURE 3. Population pyramids are commonly used by demographers to identify the age and gender make-up of a population. A pyramid with a wide base indicates a younger population, while a top heavy pyramid indicates an aging population with a longer life expectancy. The latter is becoming more common in developed nations with highly educated populations.

SOURCE. PEOPLE 2021, BC Stats



FIGURE 4. Median Age and Median Age at Death, 2021




FIGURE 4. Median age (MA) and median age at death (MAD) indicate the age of a population compared to life expectancy in Health Authority.
SOURCE. PEOPLE 2021, BC Stats, Population Health Surveillance and Epidemiology, Office of the Provincial Health Officer, September 2022

FIGURE 5. Standardized Mortality Ratio (SMR), 2021



FIGURE 5. Standardized Mortality Ratio (SMR) compares the number of deaths that occurred in a geographic region to the expected number of deaths for that region, based on provincial age specific mortality rates.
SOURCE. Population Health Surveillance and Epidemiology, Office of the Provincial Health Officer, September 2022

FIGURE 6. Up-to-date Immunizations at 2 Years, 2021



FIGURE 6. The proportion of children with up-to-date immunizations at 2 years of age. For details visits [Childhood Immunization Coverage Dashboard](#)
SOURCE. Panorama, BC Centre for Disease Control



Health & Social Status

Health & Social Status provides a snapshot of indicators that reflect health and environmental conditions experienced by people across Interior Health. Some key indicators measure early childhood vulnerabilities, low birth weight, and chronic disease prevalence which represents a growing economic and health care concern.

TABLE 4. Vulnerable Kindergarten Aged Children, 2011 - 2019

	Wave 5, 2011 - 2013	Wave 6, 2013 - 2016	Wave 7, 2016 - 2019
Thompson Cariboo Shuswap	34%	32%	32%
Interior Health	30%	30%	32%
British Columbia	33%	32%	33%

TABLE 4. The Early Development Instrument (EDI) is a questionnaire that measures the vulnerability of kindergarten aged children across five domains: Physical Health & Well Being, Social Competence, Emotional Maturity, Language & Cognitive Ability, and Communication Skills & General Knowledge. Vulnerable kindergarten aged children refers to the proportion of children who are identified as vulnerable in one or more domains.

SOURCE. Early Development Instrument, Human Early Learning Partnership, University of British Columbia, Waves 5 - 7, 2011 - 2019

FIGURE 7. Percentage of Live Births, Weighing Less Than 2500g, 2019 - 2021




FIGURE 7. Measures the percentage of live births that weight less than 2500g . Low birth weight is an important indicator of mortality, morbidity, and disability in infancy and childhood. Risk factors associated with low birth weight include: socio-economic disadvantage, poor health and nutrition of women during pregnancy, smoking while pregnant, consumption of drugs and alcohol while pregnant, and experiencing abuse while pregnant.

SOURCE. Population Health Surveillance and Epidemiology, Office of the Provincial Health Officer, September 2022

FIGURE 8. Chronic Disease Crude Prevalence Rates, 2018/19




FIGURE 8. The chronic diseases displayed above represent health conditions affecting many Interior Health residents. As the Interior Health population ages, the prevalence of these diseases is expected to grow. The 2020 World Health Organization (WHO) report on noncommunicable disease identifies primary modifiable behavioral and metabolic risk factors including: tobacco use, unhealthy diet, lack of physical activity, harmful use of alcohol, obesity, raised blood pressure, and raised cholesterol. **Mood/Anxiety Dis:** Mood/Anxiety Disorder. **Alzh./Dem. (40+):** Alzheimer's/Dementia (40+).

SOURCE. Chronic Disease Registry, Ministry of Health, 2018/19; Population aged one year and older.



Acute Care

Acute Care indicators measure the quality of health care with regards to health service access, efficiency, and utilization. These indicators are often expressed as age standardized rates per 1,000 population. Age standardization facilitates comparisons of health care service use across a variety of geographic regions and accounts for differences in age distribution between populations.

FIGURE 9. Age Standardized Utilization Rates per 1,000 Population, 2018/19 - 2020/21




FIGURE 9. Age standardized utilization rates are used to compare health care service use across geographic regions with varying demographic profiles. These rates adjust for differences in age breakdowns of each (newborns excluded). They represent rates that would be observed if the region's population experienced the same age specific utilization rates as the entire province. Note that the ED visits rate is not age standardized and includes unscheduled visits to all EDs.

SOURCE. Health Ideas Summary Reports, Ministry of Health | PEOPLE 2021, BC Stats



FIGURE 10. Inpatient Referral Patterns by Hospital, 2020/21




FIGURE 10. Inpatient referral patterns identify which hospitals residents from a LHA visit most frequently (newborns excluded). Note that totals may not add up to 100 percent as only the most common hospitals are shown.

SOURCE. Discharge Abstracts Database (DAD), Ministry of Health, 2020/21

FIGURE 11. Acute/Rehab Days per 1,000 Population, 2016/17 - 2020/21




FIGURE 11. The age standardized Acute/Rehab days rate per 1,000 population provides an overview of how residents used inpatient resources across the region.

SOURCE. Health Ideas Summary Reports, Ministry of Health | PEOPLE 2021, BC Stats

FIGURE 12. ALC Days per 1,000 Population, 2016/17 - 2020/21




FIGURE 12. Alternate Level of Care (ALC) refers to the time that a patient spends in hospital after their acute care needs have been met. These patients remain in hospital due to lack of other care options. ALC days are an important measure of the appropriate use of acute care resources.

SOURCE. Health Ideas Summary Reports, Ministry of Health | PEOPLE 2021, BC Stats



Home & Community Care

Home & Community Care indicators represent Long-term Care and Home Health services provided by Interior Health. Home & Community Care offers a variety of at-home and community services to people with acute, chronic, palliative or rehabilitative health care needs. Interior Health supports the philosophy: at home, with appropriate supports, is the best place to recover from illness and injury, manage chronic conditions, and live out final days.

TABLE 5. Home & Community Care Quick Stats, 2018/19 - 2020/21

Per 1,000 Population				Per 1,000 Population, Ages 75+			
	2018/19	2019/20	2020/21		2018/19	2019/20	2020/21
Case Managed Clients	12	13	12	Adult Day Service Clients	19	18	7
Case Managed Visits	92	86	93	Adult Day Service Days	758	698	51
Community Rehab Clients	11	11	11	Assisted Living Clients	15	14	13
Community Rehab Visits	48	53	52	Assisted Living Days	4,152	3,945	3,632
Home Care Nursing Clients	29	29	26	Home Support Clients	127	127	109
Home Care Nursing Visits	263	289	277	Home Support Hours	21,943	21,626	18,986
				Long-term Care Days	27,031	26,847	26,074

TABLE 5. Home & Community Care measures are based on the number of clients, visits, and days utilized per 1,000 population. Long-term care days include convalescent, respite, end of life, and complex care. Home support rates include long-term, short-term, and end of life care.

SOURCE. HCC Universe | PEOPLE 2021, BC Stats

FIGURE 13. Assisted Living, Long-term Care, & Short Stay Beds per 1,000 Population Ages 75+, 2019/20 - 2021/22




FIGURE 13. All bed counts include permanent and temporary beds and reflect the population ages 75+. Long-term care and short stay beds exclude family care and group home beds. Long-term care and short stay beds include convalescent, respite, end of life, and flex beds.

SOURCE. Long-term Care Bed Inventory | PEOPLE 2021, BC Stats

Mental Health & Substance Use

Interior Health offers an array of community, acute and tertiary Mental Health & Substance Use (MHSU) services to people with mild, moderate or severe mental illnesses.

TABLE 6. Number of MHSU Beds, 2021/22

151	20	97
Community	Acute	Tertiary

TABLE 6. Total MHSU bed count excludes room count, supported independent living beds, and BC Housing Unit and Provincial Health beds. Acute care delivers necessary treatment for disease or severe episode of illness for a short period of time. Compr long-term care homes, and community clinics. Tertiary care delivers highly specialized services designed for individuals with severe illness that have not responded to treatment.
SOURCE. MSHU Bed Information Reports - MoH Community Care Analytics

FIGURE 14. Number of Active MHSU Clients per 1,000 Population, 2018/19 - 2020/21




FIGURE 14. All population data is based on July 1st of the calendar year. Rates are calculated using active MHSU community clients.
SOURCE. IH Data Warehouse - MHSU Universe, PEOPLE 2021

TABLE 7. MHSU Community Service Days by Core Service, 2018/19 - 2020/21

Core Service	2018/19	2019/20	2020/21
Access	10,635	13,699	14,472
Counselling & Treatment Services	12,788	13,133	13,863
Intensive Case Management	6,849	8,133	8,176
MHSU Crisis Response	3,336	2,284	2,256
Seniors Mental Health & Substance Use Services	8,861	8,756	9,416
Substance Use Counselling & Treatment Services	8,643	7,450	8,476
Treatment, Support & Recovery	14,943	15,469	16,540

TABLE 7. A service day is a distinct date in which a charting instance was recorded on a clients file. MHSU community clients can be registered in multiple programs at one time and therefore could be counted in multiple fiscal years and categories.
SOURCE. IH Data Warehouse - MHSU Universe, PEOPLE 2021, MSHU Bed Information Reports - MoH Community Care Analytics

TABLE 8. MHSU Community Active Clients by Core Service, 2018/19 - 2020/21

Core Service	2018/19	2019/20	2020/21
Access	4,190	5,150	4,629
Counselling & Treatment Services	1,739	1,581	1,552
Intensive Case Management	206	240	214
MHSU Crisis Response	1,363	870	970
Seniors Mental Health & Substance Use Services	772	785	689
Substance Use Counselling & Treatment Services	819	692	663
Treatment, Support & Recovery	796	813	834

TABLE 8. Active clients in MHSU community data are clients who had at least one service day in the fiscal year reported. Clients with an open registration, but with no activity were excluded.
SOURCE. IH Data Warehouse - MHSU Universe




Health Characteristics


Health Characteristic indicators are derived from the Canadian Community Health Survey (CCHS), a cross-sectional survey about health status, health care utilization, and determinants of health. CCHS indicators are self-reported by survey respondents. In some cases, data quality is compromised by small sample sizes. This information is only available by the Health Service Delivery Area.

FIGURE 15. Health Characteristic Indicators, 2019 - 2020


Body Mass Index Overweight/Obese (Ages 18+)




Mental Health, Very Good or Excellent



Has Regular Healthcare Provider



Health, Very Good or Excellent



Heavy Drinking



Smoking, Daily or Occasional




FIGURE 15. Health Characteristic Indicators provide self-reported information about the health of the individuals aged 12+, unless stated otherwise. The 'Fruit and Vegetable Consumption, less than 5 servings', 'Body Mass Index Overweight/Obese (Ages 18+)' and 'Physical Activity, Less Than 150 Mins/Week (Ages 18+)'.
SOURCE. Canadian Community Health Survey 2019/20, Table 13-10-0113-01 (formerly CANSIM 105-0509).

