

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Bear Creek Park

Site: Westside Road ,

Owner: Ministry of Environment - BC Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2582	6/21/2016	2	100ml	Acceptable
	2583	6/21/2016	5	100ml	Acceptable
	2584	6/21/2016	7	100ml	Acceptable
	3030	6/29/2016	110	100ml	Acceptable
	3031	6/29/2016	96	100ml	Acceptable
	3032	6/29/2016	140	100ml	Acceptable
	3451	7/7/2016	< 2	100ml	Acceptable
	3452	7/7/2016	2	100ml	Acceptable
	3453	7/7/2016	3	100ml	Acceptable
	4135	7/25/2016	2	100ml	Acceptable
	4137	7/25/2016	20	100ml	Acceptable
	4138	7/25/2016	2	100ml	Acceptable
	4790	8/8/2016	7	100ml	Acceptable
	4792	8/8/2016	12	100ml	Acceptable
	4796	8/8/2016	10	100ml	Acceptable
	5809	8/29/2016	2	100ml	Acceptable
	5810	8/29/2016	2	100ml	Acceptable
5811	8/29/2016	3	100ml	Acceptable	
<b>E. coli Total:</b>					<b>18</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Bertram Creek Regional Park

Site: 5680 Lakeshore Road , Kelowna, BC

Owner: Regional District of Central Okanagan - Parks Dept.

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2246	6/14/2016	4	100ml	Acceptable	
	2555	6/21/2016	4	100ml	Acceptable	
	2814	6/28/2016	5	100ml	Acceptable	
	3116	7/5/2016	6	100ml	Acceptable	
	3462	7/12/2016	2	100ml	Acceptable	
	3853	7/18/2016	4	100ml	Acceptable	
	4130	7/25/2016	8	100ml	Acceptable	
	4449	8/2/2016	< 2	100ml	Acceptable	
	4872	8/9/2016	8	100ml	Acceptable	
	5146	8/16/2016	< 2	100ml	Acceptable	
	5508	8/23/2016	< 2	100ml	Acceptable	
	5814	8/30/2016	< 2	100ml	Acceptable	
	6039	9/6/2016	< 2	100ml	Acceptable	
	<b>E. coli Total:</b>					<b>13</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Blind Bay Park Beach

Site: Blind Bay Road , Blind Bay, BC  
Owner: Columbia Shuswap Regional District

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2392	6/15/2016	15	100ml	Acceptable
	2398	6/15/2016	< 2	100ml	Acceptable
	3429	7/6/2016	12	100ml	Acceptable
	4599	8/2/2016	< 2	100ml	Acceptable
	4600	8/2/2016	16	100ml	Acceptable
					<b>E. coli Total:</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Canoe Park Beach

Site: Canoe Beach Drive NE, Canoe, BC  
Owner: City of Salmon Arm

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2268	6/14/2016	2	100ml	Acceptable	
	2272	6/14/2016	< 2	100ml	Acceptable	
	2273	6/14/2016	2	100ml	Acceptable	
	3603	7/12/2016	< 2	100ml	Acceptable	
	3617	7/12/2016	< 2	100ml	Acceptable	
	3618	7/12/2016	2	100ml	Acceptable	
	4913	8/9/2016	4	100ml	Acceptable	
	4914	8/9/2016	8	100ml	Acceptable	
	4915	8/9/2016	< 2	100ml	Acceptable	
	6185	9/6/2016	7	100ml	Acceptable	
	6187	9/6/2016	< 2	100ml	Acceptable	
	6189	9/6/2016	2	100ml	Acceptable	
					<b>E. coli Total:</b>	<b>12</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Christie Memorial Park

Site: 7th and Cedar Avenue , Okanagan Falls, BC  
Owner: Regional District Okanagan-Similkameen

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2379	6/14/2016	3	100ml	Acceptable
	2558	6/20/2016	32	100ml	Acceptable
	2886	6/27/2016	15	100ml	Acceptable
	3368	7/5/2016	12	100ml	Acceptable
	3475	7/11/2016	23	100ml	Acceptable
	3852	7/18/2016	4	100ml	Acceptable
	4128	7/25/2016	52	100ml	Acceptable
	4476	8/2/2016	16	100ml	Acceptable
	4901	8/9/2016	4	100ml	Acceptable
	5221	8/15/2016	42	100ml	Acceptable
	5520	8/22/2016	8	100ml	Acceptable
	5836	8/29/2016	2	100ml	Acceptable
					<b>E. coli Total:</b>

# Interior Health Authority

## Sample History: Sample Parameter Report

Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results

### Christina Lake Provincial Park Beach

Site: Off Highway 3 , Christina Lake, BC

Owner: Ministry of Environment, BC Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2914	6/27/2016	12	100ml	Acceptable
	3559	7/11/2016	10	100ml	Acceptable
	4228	7/25/2016	38	100ml	Acceptable
	5431	8/21/2016	3	100ml	Acceptable
	6047	9/5/2016	4	100ml	Acceptable
				<b>E. coli Total:</b>	<b>5</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### City Park

Site: 1600 Abbott Street , Kelowna, BC

Owner: City of Kelowna-Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>					
	2261	6/14/2016	18	100ml	Acceptable
	2265	6/14/2016	32	100ml	Acceptable
	2466	6/20/2016	10	100ml	Acceptable
	2473	6/20/2016	2	100ml	Acceptable
	2805	6/27/2016	28	100ml	Acceptable
	2808	6/27/2016	210	100ml	Acceptable
	3222	7/5/2016	10	100ml	Acceptable
	3226	7/5/2016	7	100ml	Acceptable
	3463	7/11/2016	34	100ml	Acceptable
	3464	7/11/2016	30	100ml	Acceptable
	3809	7/18/2016	14	100ml	Acceptable
	3810	7/18/2016	2	100ml	Acceptable
	4115	7/25/2016	108	100ml	Acceptable
	4119	7/25/2016	88	100ml	Acceptable
	4456	8/2/2016	12	100ml	Acceptable
	4457	8/2/2016	40	100ml	Acceptable
	4775	8/8/2016	13	100ml	Acceptable
	4777	8/8/2016	14	100ml	Acceptable
	5130	8/15/2016	15	100ml	Acceptable
	5136	8/15/2016	34	100ml	Acceptable
	5438	8/22/2016	40	100ml	Acceptable
	5445	8/22/2016	21	100ml	Acceptable
	5765	8/29/2016	44	100ml	Acceptable
	5771	8/29/2016	2	100ml	Acceptable
	6221	9/7/2016	160	100ml	Acceptable
	6222	9/7/2016	34	100ml	Acceptable
<b>E. coli Total:</b>					<b>26</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Coral Beach

Site: 17294 Coral Beach Road , Lake Country, BC

Owner: District of Lake Country

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2573	6/21/2016	2	100ml	Acceptable	
	2918	6/28/2016	7	100ml	Acceptable	
	3217	7/5/2016	6	100ml	Acceptable	
	3600	7/12/2016	2	100ml	Acceptable	
	3889	7/19/2016	8	100ml	Acceptable	
	4234	7/26/2016	6	100ml	Acceptable	
	4745	8/3/2016	7	100ml	Acceptable	
	4789	8/8/2016	< 2	100ml	Acceptable	
	5142	8/15/2016	2	100ml	Acceptable	
	5553	8/23/2016	< 2	100ml	Acceptable	
	5848	8/30/2016	2	100ml	Acceptable	
					<b>E. coli Total:</b>	<b>11</b>



## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Cottonwood Park

Site: South end of N. Osoyoos Lake , Osoyoos, BC  
Owner: Town of Osoyoos

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2378	6/14/2016	23	100ml	Acceptable
	2704	6/21/2016	30	100ml	Acceptable
	3022	6/28/2016	16	100ml	Acceptable
	3230	7/5/2016	4	100ml	Acceptable
	3715	7/12/2016	2	100ml	Acceptable
	3983	7/19/2016	< 2	100ml	Acceptable
	4359	7/26/2016	3	100ml	Acceptable
	4472	8/2/2016	3	100ml	Acceptable
	5035	8/9/2016	22	100ml	Acceptable
	5353	8/16/2016	70	100ml	Acceptable
	5676	8/23/2016	8	100ml	Acceptable
	5958	8/30/2016	24	100ml	Acceptable
	6228	9/6/2016	2	100ml	Acceptable
	<b>E. coli Total:</b>				

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Gellatly Bay Aquatic Park

Site: Boucherie Road , West Kelowna, BC

Owner: City of West Kelowna - Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2249	6/14/2016	42	100ml	Acceptable
	2250	6/14/2016	10	100ml	Acceptable
	2576	6/21/2016	28	100ml	Acceptable
	2577	6/21/2016	28	100ml	Acceptable
	2891	6/28/2016	22	100ml	Acceptable
	2892	6/28/2016	360	100ml	Acceptable
	3208	7/5/2016	< 2	100ml	Acceptable
	3210	7/5/2016	< 2	100ml	Acceptable
	3594	7/12/2016	12	100ml	Acceptable
	3595	7/12/2016	38	100ml	Acceptable
	3879	7/19/2016	23	100ml	Acceptable
	3880	7/19/2016	130	100ml	Acceptable
	4225	7/26/2016	6	100ml	Acceptable
	4227	7/26/2016	10	100ml	Acceptable
	4479	8/3/2016	12	100ml	Acceptable
	4480	8/3/2016	22	100ml	Acceptable
	4893	8/8/2016	3	100ml	Acceptable
	4894	8/8/2016	36	100ml	Acceptable
	5230	8/15/2016	2	100ml	Acceptable
	5232	8/15/2016	4	100ml	Acceptable
5548	8/23/2016	4	100ml	Acceptable	
5549	8/23/2016	2	100ml	Acceptable	
<b>E. coli Total:</b>					<b>22</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Gordon Beggs Rotary Beach

Site: Lakeshore Drive , Summerland, BC

Owner: District of Summerland

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	3180	7/4/2016	2	100ml	Acceptable
	3181	7/4/2016	< 2	100ml	Acceptable
	3568	7/12/2016	10	100ml	Acceptable
	3569	7/12/2016	17	100ml	Acceptable
	3860	7/18/2016	52	100ml	Acceptable
	3861	7/18/2016	25	100ml	Acceptable
	4482	8/2/2016	4	100ml	Acceptable
	4878	8/8/2016	52	100ml	Acceptable
	5883	8/8/2016	130	100ml	Acceptable
	5228	8/15/2016	40	100ml	Acceptable
	5513	8/22/2016	22	100ml	Acceptable
				<b>E. coli Total:</b>	<b>11</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Gyro Beach Park

Site: 3400 Lakeshore Road , Kelowna, BC

Owner: City of Kelowna-Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2258	6/14/2016	10	100ml	Acceptable
	2266	6/14/2016	6	100ml	Acceptable
	2464	6/20/2016	2	100ml	Acceptable
	2468	6/20/2016	< 2	100ml	Acceptable
	2804	6/27/2016	2	100ml	Acceptable
	2807	6/27/2016	15	100ml	Acceptable
	3224	7/5/2016	10	100ml	Acceptable
	3227	7/5/2016	5	100ml	Acceptable
	3469	7/11/2016	15	100ml	Acceptable
	3472	7/11/2016	86	100ml	Acceptable
	3811	7/18/2016	36	100ml	Acceptable
	3815	7/18/2016	160	100ml	Acceptable
	4112	7/25/2016	24	100ml	Acceptable
	4120	7/25/2016	44	100ml	Acceptable
	4459	8/2/2016	13	100ml	Acceptable
	4460	8/2/2016	60	100ml	Acceptable
	4770	8/8/2016	26	100ml	Acceptable
	4780	8/8/2016	25	100ml	Acceptable
	5127	8/15/2016	16	100ml	Acceptable
	5134	8/15/2016	70	100ml	Acceptable
	5436	8/22/2016	92	100ml	Acceptable
	5442	8/22/2016	280	100ml	Acceptable
	5663	8/24/2016	29	100ml	Acceptable
	5665	8/24/2016	25	100ml	Acceptable
	5764	8/29/2016	48	100ml	Acceptable
	6220	9/7/2016	20	100ml	Acceptable
	6227	9/7/2016	3	100ml	Acceptable
				<b>E. coli Total:</b>	<b>27</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Gyro Osoyoos

No Site Address Information  
Owner: Town of Osoyoos

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2377	6/14/2016	< 2	100ml	Acceptable
	2705	6/21/2016	150	100ml	Acceptable
	3020	6/28/2016	4	100ml	Acceptable
	3231	7/5/2016	< 2	100ml	Acceptable
	3713	7/12/2016	22	100ml	Acceptable
	3982	7/19/2016	4	100ml	Acceptable
	4358	7/26/2016	68	100ml	Acceptable
	4473	8/2/2016	5	100ml	Acceptable
	5036	8/9/2016	< 2	100ml	Acceptable
	5354	8/16/2016	100	100ml	Acceptable
	5674	8/23/2016	4	100ml	Acceptable
	5675	8/23/2016	4	100ml	Acceptable
	5957	8/30/2016	4	100ml	Acceptable
	6230	9/6/2016	2	100ml	Acceptable
					<b>E. coli Total:</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Haynes Point Provincial Park

Site: Osoyoos Lake , Osoyoos, BC

Owner: onsite attendant

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2756	6/22/2016	2	100ml	Acceptable
	3443	7/6/2016	3	100ml	Acceptable
	3775	7/13/2016	4	100ml	Acceptable
	3776	7/13/2016	< 2	100ml	Acceptable
	3999	7/19/2016	< 2	100ml	Acceptable
	4000	7/19/2016	90	100ml	Acceptable
	4001	7/19/2016	66	100ml	Acceptable
	4090	7/20/2016	< 2	100ml	Acceptable
	5114	8/10/2016	2	100ml	Acceptable
	5423	8/17/2016	20	100ml	Acceptable
	5742	8/24/2016	18	100ml	Acceptable
	6036	8/31/2016	2	100ml	Acceptable
					<b>E. coli Total:</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Herald Park Beach

Site: Sunnybrae-Canoe Point Road , Tappen, BC  
Owner: Ministry of Environment, BC Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2396	6/15/2016	< 2	100ml	Acceptable
	2755	6/22/2016	2	100ml	Acceptable
	3035	6/29/2016	2	100ml	Acceptable
	3245	7/5/2016	< 2	100ml	Acceptable
	3733	7/13/2016	< 2	100ml	Acceptable
	4023	7/20/2016	2	100ml	Acceptable
	4373	7/27/2016	2	100ml	Acceptable
	4742	8/3/2016	< 2	100ml	Acceptable
	5095	8/10/2016	2	100ml	Acceptable
	5258	8/16/2016	3	100ml	Acceptable
	5686	8/24/2016	< 2	100ml	Acceptable
	5687	8/24/2016	38	100ml	Acceptable
					<b>E. coli Total:</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## James Chabot Provincial Park

Site: James Chabot Provincial Park , Invermere, BC  
Owner: Ministry of Water, Land & Air Protection

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>					
	B6WR000508	6/13/2016	5	100ml	Acceptable
	B6WR000512	6/13/2016	< 5	100ml	Acceptable
	B6WR000602	6/20/2016	< 5	100ml	Acceptable
	B6WR000605	6/20/2016	< 5	100ml	Acceptable
	B6WR000761	6/27/2016	< 5	100ml	Acceptable
	B6WR000763	6/27/2016	< 5	100ml	Acceptable
	B6WR000899	7/4/2016	< 5	100ml	Acceptable
	B6WR000903	7/4/2016	< 5	100ml	Acceptable
	B6WR001041	7/11/2016	5	100ml	Acceptable
	B6WR001042	7/11/2016	< 5	100ml	Acceptable
	B6WR001186	7/18/2016	5	100ml	Acceptable
	B6WR001189	7/18/2016	< 5	100ml	Acceptable
	B6WR001350	7/25/2016	9	100ml	Acceptable
	B6WR001351	7/25/2016	5	100ml	Acceptable
	B6WR001580	8/8/2016	86	100ml	Acceptable
	B6WR001584	8/8/2016	5	100ml	Acceptable
	B6WR001707	8/15/2016	< 5	100ml	Acceptable
	B6WR001708	8/15/2016	< 5	100ml	Acceptable
	B6WR001925	8/22/2016	5	100ml	Acceptable
	B6WR001927	8/22/2016	10	100ml	Acceptable
	B6WR002055	8/29/2016	5	100ml	Acceptable
	B6WR002056	8/29/2016	5	100ml	Acceptable
					<b>E. coli Total:</b>
					<b>22</b>



## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Kal Beach

No Site Address Information

Owner: North Okanagan Regional Dist. GVS

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2570	6/20/2016	4	100ml	Acceptable
	2571	6/20/2016	4	100ml	Acceptable
	2572	6/20/2016	10	100ml	Acceptable
	2897	6/27/2016	2	100ml	Acceptable
	2898	6/27/2016	5	100ml	Acceptable
	2901	6/27/2016	6	100ml	Acceptable
	3186	7/4/2016	48	100ml	Acceptable
	3188	7/4/2016	48	100ml	Acceptable
	3190	7/4/2016	130	100ml	Acceptable
	3587	7/11/2016	430	100ml	Unacceptable
	3589	7/11/2016	360	100ml	Acceptable
	3590	7/11/2016	480	100ml	Unacceptable
	3777	7/14/2016	46	100ml	Acceptable
	3778	7/14/2016	13	100ml	Acceptable
	3779	7/14/2016	7	100ml	Acceptable
	3863	7/18/2016	15	100ml	Acceptable
	3866	7/18/2016	20	100ml	Acceptable
	3868	7/18/2016	10	100ml	Acceptable
	4218	7/25/2016	3	100ml	Acceptable
	4220	7/25/2016	12	100ml	Acceptable
	4221	7/25/2016	44	100ml	Acceptable
	4500	8/2/2016	10	100ml	Acceptable
	4501	8/2/2016	18	100ml	Acceptable
	4503	8/2/2016	42	100ml	Acceptable
	4886	8/8/2016	44	100ml	Acceptable
	4888	8/8/2016	20	100ml	Acceptable
	4889	8/8/2016	34	100ml	Acceptable
	5213	8/15/2016	20	100ml	Acceptable
	5216	8/15/2016	74	100ml	Acceptable
	5217	8/15/2016	36	100ml	Acceptable
	5521	8/22/2016	110	100ml	Acceptable
	5524	8/22/2016	50	100ml	Acceptable
	5525	8/22/2016	40	100ml	Acceptable
	5827	8/29/2016	30	100ml	Acceptable
	5830	8/29/2016	14	100ml	Acceptable
	5832	8/29/2016	20	100ml	Acceptable
<b>E. coli Total:</b>					<b>36</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Kalamalka Provincial Park

Site: Juniper Bay , Coldstream, BC

Owner: Ministry of Environment - BC Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2462	6/17/2016	4	100ml	Acceptable
	3029	6/29/2016	180	100ml	Acceptable
	3372	7/6/2016	27	100ml	Acceptable
	3796	7/14/2016	4	100ml	Acceptable
	4107	7/22/2016	2	100ml	Acceptable
	4440	7/28/2016	6	100ml	Acceptable
	4755	8/3/2016	< 2	100ml	Acceptable
	5120	8/12/2016	18	100ml	Acceptable
	5424	8/18/2016	2	100ml	Acceptable
	6034	9/1/2016	5	100ml	Acceptable
				<b>E. coli Total:</b>	<b>10</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Kaloya Regional Park Beach

Site: Trask Road , Lake Country, BC

Owner: Regional District of Central Okanagan - Parks Dept.

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2244	6/14/2016	110	100ml	Acceptable
	2552	6/20/2016	2	100ml	Acceptable
	2817	6/28/2016	8	100ml	Acceptable
	3177	7/5/2016	88	100ml	Acceptable
	3560	7/11/2016	30	100ml	Acceptable
	3877	7/18/2016	170	100ml	Acceptable
	4129	7/26/2016	82	100ml	Acceptable
	4450	8/2/2016	< 2	100ml	Acceptable
	4875	8/8/2016	20	100ml	Acceptable
	5147	8/16/2016	10	100ml	Acceptable
	5510	8/23/2016	16	100ml	Acceptable
	5817	8/30/2016	< 2	100ml	Acceptable
	6041	9/6/2016	7	100ml	Acceptable
	<b>E. coli Total:</b>				

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Kenyon Park

Site: 5332 Cedar Street , Okanagan Falls, BC  
Owner: Regional District Okanagan-Similkameen

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2380	6/14/2016	4	100ml	Acceptable	
	2557	6/20/2016	2	100ml	Acceptable	
	2888	6/27/2016	8	100ml	Acceptable	
	3369	7/6/2016	2	100ml	Acceptable	
	3476	7/11/2016	25	100ml	Acceptable	
	3850	7/18/2016	< 2	100ml	Acceptable	
	4127	7/25/2016	12	100ml	Acceptable	
	4475	8/2/2016	16	100ml	Acceptable	
	4902	8/9/2016	< 2	100ml	Acceptable	
	5223	8/15/2016	3	100ml	Acceptable	
	5519	8/22/2016	2	100ml	Acceptable	
	5837	8/29/2016	8	100ml	Acceptable	
					<b>E. coli Total:</b>	<b>12</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Kin Beach

No Site Address Information

Owner: North Okanagan Regional Dist. GVS

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2566	6/20/2016	7	100ml	Acceptable
	2567	6/20/2016	10	100ml	Acceptable
	2568	6/20/2016	8	100ml	Acceptable
	2895	6/27/2016	68	100ml	Acceptable
	2896	6/27/2016	110	100ml	Acceptable
	2899	6/27/2016	86	100ml	Acceptable
	3187	7/4/2016	70	100ml	Acceptable
	3189	7/4/2016	40	100ml	Acceptable
	3191	7/4/2016	46	100ml	Acceptable
	3585	7/12/2016	170	100ml	Acceptable
	3586	7/12/2016	68	100ml	Acceptable
	3591	7/12/2016	32	100ml	Acceptable
	3862	7/18/2016	35	100ml	Acceptable
	3865	7/18/2016	27	100ml	Acceptable
	3867	7/18/2016	32	100ml	Acceptable
	4217	7/25/2016	8	100ml	Acceptable
	4219	7/25/2016	10	100ml	Acceptable
	4222	7/25/2016	18	100ml	Acceptable
	4498	8/2/2016	4	100ml	Acceptable
	4499	8/2/2016	4	100ml	Acceptable
	4502	8/2/2016	26	100ml	Acceptable
	4884	8/8/2016	28	100ml	Acceptable
	4887	8/8/2016	40	100ml	Acceptable
	4890	8/8/2016	60	100ml	Acceptable
	5214	8/15/2016	15	100ml	Acceptable
	5215	8/15/2016	13	100ml	Acceptable
	5218	8/15/2016	10	100ml	Acceptable
	5523	8/22/2016	120	100ml	Acceptable
	5526	8/22/2016	200	100ml	Acceptable
	5527	8/22/2016	62	100ml	Acceptable
	5828	8/29/2016	44	100ml	Acceptable
	5829	8/29/2016	44	100ml	Acceptable
	5831	8/29/2016	70	100ml	Acceptable
<b>E. coli Total:</b>					<b>33</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Kinsmen Beach

Site: 914 8th Avenue , Invermere, BC

Owner: District of Invermere

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	B6WR000507	6/13/2016	< 5	100ml	Acceptable
	B6WR000509	6/13/2016	< 5	100ml	Acceptable
	B6WR000603	6/20/2016	< 5	100ml	Acceptable
	B6WR000604	6/20/2016	< 5	100ml	Acceptable
	B6WR000762	6/27/2016	< 5	100ml	Acceptable
	B6WR000764	6/27/2016	< 5	100ml	Acceptable
	B6WR000900	7/4/2016	< 5	100ml	Acceptable
	B6WR000901	7/4/2016	< 5	100ml	Acceptable
	B6WR001037	7/11/2016	< 5	100ml	Acceptable
	B6WR001038	7/11/2016	< 5	100ml	Acceptable
	B6WR001187	7/18/2016	< 5	100ml	Acceptable
	B6WR001188	7/18/2016	< 5	100ml	Acceptable
	B6WR001348	7/25/2016	5	100ml	Acceptable
	B6WR001352	7/25/2016	5	100ml	Acceptable
	B6WR001581	8/8/2016	20	100ml	Acceptable
	B6WR001583	8/8/2016	68	100ml	Acceptable
	B6WR001709	8/15/2016	< 5	100ml	Acceptable
	B6WR001710	8/15/2016	35	100ml	Acceptable
	B6WR001924	8/22/2016	15	100ml	Acceptable
	B6WR001926	8/22/2016	10	100ml	Acceptable
	B6WR002054	8/29/2016	5	100ml	Acceptable
	B6WR002057	8/29/2016	5	100ml	Acceptable
				<b>E. coli Total:</b>	<b>22</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Kopje Park Beach

Site: 15480 Carrs Landing Road , Lake Country, BC  
Owner: Regional District of Central Okanagan

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2243	6/14/2016	34	100ml	Acceptable
	2554	6/20/2016	24	100ml	Acceptable
	2815	6/28/2016	8	100ml	Acceptable
	3176	7/5/2016	16	100ml	Acceptable
	3563	7/12/2016	6	100ml	Acceptable
	3875	7/18/2016	15	100ml	Acceptable
	4131	7/26/2016	< 2	100ml	Acceptable
	4452	8/2/2016	6	100ml	Acceptable
	4876	8/8/2016	2	100ml	Acceptable
	5148	8/16/2016	2	100ml	Acceptable
	5509	8/23/2016	5	100ml	Acceptable
	5818	8/30/2016	4	100ml	Acceptable
	6040	9/6/2016	3	100ml	Acceptable
	<b>E. coli Total:</b>				

# Interior Health Authority

## Sample History: Sample Parameter Report

Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results

### Lakeshore Drive North Beach

Site: Lakeshore Drive , Summerland, BC

Owner: District of Summerland

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	4484	8/2/2016	4	100ml	Acceptable
	4877	8/8/2016	40	100ml	Acceptable
	5225	8/15/2016	18	100ml	Acceptable
	5515	8/22/2016	10	100ml	Acceptable
				<b>E. coli Total:</b>	<b>4</b>



## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Legion / Safari Beach

Site: 89th Street , Osoyoos, BC

Owner: Town of Osoyoos

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2376	6/14/2016	5	100ml	Acceptable	
	276	6/21/2016	8	100ml	Acceptable	
	3021	6/28/2016	108	100ml	Acceptable	
	3232	7/5/2016	10	100ml	Acceptable	
	3714	7/12/2016	90	100ml	Acceptable	
	3981	7/19/2016	1600	100ml	Unacceptable	
	4357	7/26/2016	80	100ml	Acceptable	
	4474	8/2/2016	2	100ml	Acceptable	
	5034	8/9/2016	14	100ml	Acceptable	
	5355	8/16/2016	24	100ml	Acceptable	
	5959	8/30/2016	6	100ml	Acceptable	
	6229	9/6/2016	12	100ml	Acceptable	
					<b>E. coli Total:</b>	<b>12</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Maiden Lake Public Beach

No Site Address Information

Owner: City of Fernie

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	B6WR000419	6/7/2016	5	100ml	Acceptable
	B6WR000547	6/14/2016	< 5	100ml	Acceptable
	B6WR000723	6/21/2016	< 5	100ml	Acceptable
	B6WR000836	6/28/2016	< 5	100ml	Acceptable
	B6WR000995	7/5/2016	< 5	100ml	Acceptable
	B6WR001128	7/12/2016	20	100ml	Acceptable
	B6WR001252	7/19/2016	30	100ml	Acceptable
	B6WR001387	7/26/2016	5	100ml	Acceptable
	B6WR001640	8/9/2016	< 5	100ml	Acceptable
	B6WR001780	8/16/2016	10	100ml	Acceptable
	B6WR001974	8/23/2016	< 5	100ml	Acceptable
	B6WR002118	8/30/2016	5	100ml	Acceptable
	B6WR002194	9/6/2016	5	100ml	Acceptable
	<b>E. coli Total:</b>				

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Manitou Park

Site: Kathleen Avenue and 4th Street , Naramata, BC  
Owner: Regional District Okanagan Similkameen

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2381	6/14/2016	< 2	100ml	Acceptable	
	2707	6/21/2016	2	100ml	Acceptable	
	2885	6/27/2016	6	100ml	Acceptable	
	3206	7/4/2016	8	100ml	Acceptable	
	3716	7/12/2016	6	100ml	Acceptable	
	4002	7/19/2016	20	100ml	Acceptable	
	4237	7/26/2016	< 2	100ml	Acceptable	
	4655	8/2/2016	2	100ml	Acceptable	
	4873	8/8/2016	8	100ml	Acceptable	
	5222	8/15/2016	8	100ml	Acceptable	
	5517	8/22/2016	6	100ml	Acceptable	
	5839	8/29/2016	8	100ml	Acceptable	
					<b>E. coli Total:</b>	<b>12</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Marina Park

Site: Gellatly Bay , West Kelowna,  
Owner: City of West Kelowna - Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2248	6/14/2016	27	100ml	Acceptable
	2578	6/21/2016	< 2	100ml	Acceptable
	2893	6/28/2016	2	100ml	Acceptable
	3209	7/5/2016	4	100ml	Acceptable
	3593	7/12/2016	2	100ml	Acceptable
	3881	7/19/2016	150	100ml	Acceptable
	4226	7/26/2016	8	100ml	Acceptable
	4478	8/3/2016	14	100ml	Acceptable
	4895	8/9/2016	5	100ml	Acceptable
	5229	8/16/2016	< 2	100ml	Acceptable
	5546	8/23/2016	10	100ml	Acceptable
				<b>E. coli Total:</b>	<b>11</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Marina Way Beach

Site: Marina Way , Penticton, BC

Owner: City of Penticton - Parks Department

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2393	6/15/2016	8	100ml	Acceptable
	2695	6/21/2016	18	100ml	Acceptable
	2919	6/28/2016	4	100ml	Acceptable
	3734	7/5/2016	36	100ml	Acceptable
	3609	7/12/2016	10	100ml	Acceptable
	3996	7/19/2016	38	100ml	Acceptable
	4240	7/26/2016	24	100ml	Acceptable
	4586	8/2/2016	62	100ml	Acceptable
	4912	8/9/2016	38	100ml	Acceptable
	5245	8/16/2016	110	100ml	Acceptable
	5556	8/23/2016	130	100ml	Acceptable
	5868	8/30/2016	39	100ml	Acceptable
					<b>E. coli Total:</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Marjorie Pritchard Memorial Park

Site: Pritchard Beach , West Kelowna, BC  
Owner: City of West Kelowna - Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2247	6/14/2016	2	100ml	Acceptable
	2579	6/21/2016	< 2	100ml	Acceptable
	2894	6/28/2016	< 2	100ml	Acceptable
	3207	7/5/2016	2	100ml	Acceptable
	3592	7/12/2016	< 2	100ml	Acceptable
	3878	7/19/2016	5	100ml	Acceptable
	4224	7/26/2016	16	100ml	Acceptable
	4481	8/3/2016	< 2	100ml	Acceptable
	4896	8/9/2016	< 2	100ml	Acceptable
	5231	8/16/2016	< 2	100ml	Acceptable
	5547	8/23/2016	4	100ml	Acceptable
				<b>E. coli Total:</b>	<b>11</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Nelson Lakeside Park Beach

No Site Address Information

Owner: The Corporation of the City of Nelson

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	B6WR001414	7/27/2016	310	100ml	Acceptable
	B6WR001517	8/3/2016	15	100ml	Acceptable
	B6WR001518	8/3/2016	1100	100ml	Unacceptable
	B6WR001641	8/9/2016	9	100ml	Acceptable
	B6WR001642	8/9/2016	845	100ml	Unacceptable
	B6WR001664	8/10/2016	4850	100ml	Unacceptable
	B6WR001665	8/10/2016	< 5	100ml	Acceptable
	B6WR001736	8/15/2016	< 5	100ml	Acceptable
	B6WR001737	8/15/2016	20	100ml	Acceptable
	B6WR001738	8/15/2016	< 5	100ml	Acceptable
	B6WR001739	8/15/2016	15	100ml	Acceptable
	B6WR001740	8/15/2016	32	100ml	Acceptable
	B6WR001741	8/15/2016	< 5	100ml	Acceptable
	B6WR001816	8/16/2016	25	100ml	Acceptable
	B6WR001817	8/16/2016	45	100ml	Acceptable
	B6WR001818	8/16/2016	20	100ml	Acceptable
	B6WR001843	8/17/2016	60	100ml	Acceptable
	B6WR001844	8/17/2016	30	100ml	Acceptable
	B6WR001845	8/17/2016	< 5	100ml	Acceptable
	B6WR001846	8/17/2016	10	100ml	Acceptable
	B6WR002001	8/23/2016	5	100ml	Acceptable
	B6WR002002	8/23/2016	36	100ml	Acceptable
	B6WR002135	8/31/2016	5	100ml	Acceptable
	B6WR002136	8/31/2016	10	100ml	Acceptable

**E. coli Total: 24**

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Okanagan Lake Beach

Site: Lakeshore Drive , Penticton, BC

Owner: City of Penticton

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2394	6/15/2016	6	100ml	Acceptable
	2399	6/15/2016	< 2	100ml	Acceptable
	2692	6/21/2016	3	100ml	Acceptable
	2700	6/21/2016	90	100ml	Acceptable
	2921	6/28/2016	290	100ml	Acceptable
	2924	6/28/2016	12	100ml	Acceptable
	3238	7/5/2016	13	100ml	Acceptable
	3241	7/5/2016	< 2	100ml	Acceptable
	3608	7/12/2016	6	100ml	Acceptable
	3611	7/12/2016	16	100ml	Acceptable
	3991	7/19/2016	26	100ml	Acceptable
	3993	7/19/2016	3	100ml	Acceptable
	4241	7/26/2016	52	100ml	Acceptable
	4242	7/26/2016	16	100ml	Acceptable
	4587	8/2/2016	22	100ml	Acceptable
	4598	8/2/2016	110	100ml	Acceptable
	4906	8/9/2016	5	100ml	Acceptable
	4907	8/9/2016	14	100ml	Acceptable
	5253	8/16/2016	34	100ml	Acceptable
	5261	8/16/2016	6	100ml	Acceptable
	5554	8/23/2016	5	100ml	Acceptable
	5557	8/23/2016	25	100ml	Acceptable
	5869	8/30/2016	21	100ml	Acceptable
	5874	8/30/2016	4	100ml	Acceptable
<b>E. coli Total:</b>					<b>24</b>



## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Okanagan Lake Provincial Park

Site: Highway 97 , Summerland, BC

Owner: onsite attendant

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2373	6/14/2016	2	100ml	Acceptable	
	2375	6/14/2016	< 2	100ml	Acceptable	
	2818	6/27/2016	2	100ml	Acceptable	
	2820	6/27/2016	18	100ml	Acceptable	
	3477	7/11/2016	8	100ml	Acceptable	
	3479	7/11/2016	8	100ml	Acceptable	
	4136	7/25/2016	44	100ml	Acceptable	
	4139	7/25/2016	4	100ml	Acceptable	
	4791	8/8/2016	2	100ml	Acceptable	
	4794	8/8/2016	< 2	100ml	Acceptable	
	5807	8/29/2016	< 2	100ml	Acceptable	
	5808	8/29/2016	3	100ml	Acceptable	
					<b>E. coli Total:</b>	<b>12</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Paddlewheel Park Beach

Site: 9848 Aberdeen Road , Coldstream, BC  
Owner: North Okanagan Regional Dist. GVS

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2569	6/20/2016	12	100ml	Acceptable	
	2900	6/27/2016	52	100ml	Acceptable	
	3204	7/4/2016	16	100ml	Acceptable	
	3588	7/11/2016	18	100ml	Acceptable	
	3864	7/18/2016	8	100ml	Acceptable	
	4223	7/25/2016	18	100ml	Acceptable	
	4497	8/2/2016	10	100ml	Acceptable	
	4885	8/8/2016	17	100ml	Acceptable	
	5219	8/15/2016	12	100ml	Acceptable	
	5522	8/22/2016	14	100ml	Acceptable	
	5833	8/29/2016	2	100ml	Acceptable	
					<b>E. coli Total:</b>	<b>11</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Peach Orchard Park

Site: Peach Orchard Road , Summerland, BC  
Owner: District of Summerland

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	3182	7/4/2016	12	100ml	Acceptable	
	3183	7/4/2016	8	100ml	Acceptable	
	3564	7/12/2016	44	100ml	Acceptable	
	3565	7/12/2016	10	100ml	Acceptable	
	3858	7/18/2016	46	100ml	Acceptable	
	3859	7/18/2016	34	100ml	Acceptable	
	4483	8/2/2016	10	100ml	Acceptable	
	4879	8/8/2016	90	100ml	Acceptable	
	4882	8/8/2016	80	100ml	Acceptable	
	5227	8/15/2016	5	100ml	Acceptable	
	5514	8/22/2016	10	100ml	Acceptable	
					<b>E. coli Total:</b>	<b>11</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Pebble Beach

Site: Coral Beach Road , Lake Country, BC  
Owner: District of Lake Country

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2253	6/14/2016	2	100ml	Acceptable	
	2574	6/21/2016	30	100ml	Acceptable	
	2917	6/28/2016	5	100ml	Acceptable	
	3218	7/5/2016	2	100ml	Acceptable	
	3597	7/12/2016	2	100ml	Acceptable	
	3888	7/19/2016	< 2	100ml	Acceptable	
	4235	7/26/2016	2	100ml	Acceptable	
	4471	8/2/2016	< 2	100ml	Acceptable	
	4786	8/8/2016	2	100ml	Acceptable	
	5143	8/15/2016	< 2	100ml	Acceptable	
	5552	8/23/2016	10	100ml	Acceptable	
	5847	8/30/2016	4	100ml	Acceptable	
					<b>E. coli Total:</b>	<b>12</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Penticton Channel

Site: Skaha Lake Road , Penticton, BC

Owner: City of Penticton

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2391	6/15/2016	8	100ml	Acceptable	
	2401	6/15/2016	36	100ml	Acceptable	
	2698	6/21/2016	17	100ml	Acceptable	
	2701	6/21/2016	22	100ml	Acceptable	
	2922	6/28/2016	24	100ml	Acceptable	
	2923	6/28/2016	4	100ml	Acceptable	
	3236	7/5/2016	2	100ml	Acceptable	
	3239	7/5/2016	8	100ml	Acceptable	
	3604	7/12/2016	12	100ml	Acceptable	
	3610	7/12/2016	6	100ml	Acceptable	
	3992	7/19/2016	2	100ml	Acceptable	
	3995	7/19/2016	8	100ml	Acceptable	
	4244	7/26/2016	13	100ml	Acceptable	
	4247	7/26/2016	12	100ml	Acceptable	
	4594	8/2/2016	6	100ml	Acceptable	
	4597	8/2/2016	12	100ml	Acceptable	
	4905	8/9/2016	12	100ml	Acceptable	
	491	8/9/2016	22	100ml	Acceptable	
	5250	8/16/2016	18	100ml	Acceptable	
	5252	8/16/2016	16	100ml	Acceptable	
	5560	8/23/2016	13	100ml	Acceptable	
	5567	8/23/2016	26	100ml	Acceptable	
	5866	8/30/2016	15	100ml	Acceptable	
	5870	8/30/2016	2	100ml	Acceptable	
	<b>E. coli Total:</b>					<b>24</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Pioneer Park - Kaleden

Site: Ponderosa Avenue , Kaleden, BC

Owner: Regional District Okanagan Similkameen

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2382	6/14/2016	4	100ml	Acceptable	
	2556	6/20/2016	14	100ml	Acceptable	
	2887	6/27/2016	8	100ml	Acceptable	
	3367	7/5/2016	5	100ml	Acceptable	
	3474	7/11/2016	< 2	100ml	Acceptable	
	3851	7/18/2016	3	100ml	Acceptable	
	4126	7/25/2016	10	100ml	Acceptable	
	4477	8/2/2016	6	100ml	Acceptable	
	4903	8/9/2016	2	100ml	Acceptable	
	5224	8/15/2016	8	100ml	Acceptable	
	5518	8/22/2016	4	100ml	Acceptable	
	5838	8/29/2016	6	100ml	Acceptable	
					<b>E. coli Total:</b>	<b>12</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Pioneer Park Beach

No Site Address Information

Owner: District of Lake Country

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	6060530-03	6/6/2016	30	100ml	Acceptable
	2242	6/14/2016	110	100ml	Acceptable
	2476	6/20/2016	24	100ml	Acceptable
	2812	6/27/2016	10	100ml	Acceptable
	3114	7/4/2016	6	100ml	Acceptable
	3598	7/12/2016	50	100ml	Acceptable
	3854	7/18/2016	620	100ml	Unacceptable
	4091	7/21/2016	64	100ml	Acceptable
	4125	7/25/2016	260	100ml	Acceptable
	4470	8/2/2016	60	100ml	Acceptable
	4787	8/8/2016	62	100ml	Acceptable
	5145	8/15/2016	15	100ml	Acceptable
	5448	8/22/2016	24	100ml	Acceptable
	5775	8/29/2016	4	100ml	Acceptable
					<b>E. coli Total:</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Powell Beach

Site: Powell Beach Road , Summerland, BC  
Owner: District of Summerland

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	3184	7/4/2016	10	100ml	Acceptable
	3185	7/4/2016	< 2	100ml	Acceptable
	3566	7/11/2016	2	100ml	Acceptable
	3567	7/11/2016	< 2	100ml	Acceptable
	3856	7/18/2016	3	100ml	Acceptable
	3857	7/18/2016	2	100ml	Acceptable
	4485	8/2/2016	6	100ml	Acceptable
	4880	8/8/2016	12	100ml	Acceptable
	4881	8/8/2016	27	100ml	Acceptable
	5226	8/15/2016	17	100ml	Acceptable
	5516	8/22/2016	24	100ml	Acceptable
					<b>E. coli Total:</b>



## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Reiswig Regional Park Beach

Site: Woodsdale Road , Lake Country, BC

Owner: Regional District of Central Okanagan - Parks Dept.

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2245	6/14/2016	120	100ml	Acceptable
	2553	6/20/2016	16	100ml	Acceptable
	2816	6/28/2016	18	100ml	Acceptable
	3179	7/5/2016	26	100ml	Acceptable
	3561	7/11/2016	32	100ml	Acceptable
	3876	7/19/2016	410	100ml	Unacceptable
	4132	7/26/2016	210	100ml	Acceptable
	4451	8/2/2016	280	100ml	Acceptable
	4874	8/9/2016	140	100ml	Acceptable
	5149	8/16/2016	320	100ml	Acceptable
	5511	8/23/2016	46	100ml	Acceptable
	5512	8/23/2016	170	100ml	Acceptable
	5815	8/30/2016	30	100ml	Acceptable
	5816	8/30/2016	46	100ml	Acceptable
	6042	9/6/2016	< 2	100ml	Acceptable
	6043	9/6/2016	2	100ml	Acceptable
				<b>E. coli Total:</b>	<b>16</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Rotary Beach - Oliver

Site: North of Oliver on east side , Oliver, BC

Owner: Oliver Parks and Recreation Society

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2372	6/14/2016	2	100ml	Acceptable
	2374	6/14/2016	< 2	100ml	Acceptable
	2690	6/21/2016	20	100ml	Acceptable
	2696	6/21/2016	27	100ml	Acceptable
	3033	6/29/2016	230	100ml	Acceptable
	3034	6/29/2016	42	100ml	Acceptable
	3607	7/12/2016	< 2	100ml	Acceptable
	3621	7/12/2016	< 2	100ml	Acceptable
	4021	7/20/2016	10	100ml	Acceptable
	4022	7/20/2016	32	100ml	Acceptable
	4371	7/27/2016	90	100ml	Acceptable
	4372	7/27/2016	26	100ml	Acceptable
	4743	8/3/2016	40	100ml	Acceptable
	4744	8/3/2016	20	100ml	Acceptable
	5244	8/16/2016	600	100ml	Unacceptable
	5260	8/16/2016	20	100ml	Acceptable
	5561	8/23/2016	72	100ml	Acceptable
	5566	8/23/2016	47	100ml	Acceptable
<b>E. coli Total:</b>					<b>18</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Rotary Beach Park

Site: 3726 Lakeshore Road , Kelowna, BC

Owner: City of Kelowna-Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>					
	2257	6/14/2016	40	100ml	Acceptable
	2267	6/14/2016	70	100ml	Acceptable
	2469	6/20/2016	90	100ml	Acceptable
	2471	6/20/2016	180	100ml	Acceptable
	2809	6/27/2016	28	100ml	Acceptable
	2810	6/27/2016	13	100ml	Acceptable
	3228	7/5/2016	120	100ml	Acceptable
	3229	7/5/2016	110	100ml	Acceptable
	3467	7/11/2016	270	100ml	Acceptable
	3468	7/11/2016	300	100ml	Acceptable
	3720	7/13/2016	110	100ml	Acceptable
	3723	7/13/2016	130	100ml	Acceptable
	3812	7/18/2016	280	100ml	Acceptable
	3814	7/18/2016	27	100ml	Acceptable
	4112	7/25/2016	12	100ml	Acceptable
	4122	7/25/2016	80	100ml	Acceptable
	4461	8/2/2016	40	100ml	Acceptable
	4462	8/2/2016	30	100ml	Acceptable
	4774	8/8/2016	66	100ml	Acceptable
	4778	8/8/2016	94	100ml	Acceptable
	5135	8/15/2016	42	100ml	Acceptable
	5137	8/15/2016	14	100ml	Acceptable
	5437	8/22/2016	1020	100ml	Unacceptable
	5440	8/22/2016	960	100ml	Unacceptable
	5664	8/24/2016	64	100ml	Acceptable
	5666	8/24/2016	66	100ml	Acceptable
	5768	8/29/2016	52	100ml	Acceptable
	5770	8/29/2016	560	100ml	Unacceptable
	6217	9/7/2016	60	100ml	Acceptable
	6226	9/7/2016	56	100ml	Acceptable
<b>E. coli Total:</b>					<b>30</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Sarsons Beach Park

Site: 4398 Hobson Road , Kelowna, BC

Owner: City of Kelowna-Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2260	6/14/2016	< 2	100ml	Acceptable
	2262	6/14/2016	< 2	100ml	Acceptable
	2463	6/20/2016	< 2	100ml	Acceptable
	2470	6/20/2016	7	100ml	Acceptable
	2801	6/27/2016	8	100ml	Acceptable
	2811	6/27/2016	23	100ml	Acceptable
	3220	7/5/2016	14	100ml	Acceptable
	3223	7/5/2016	7	100ml	Acceptable
	3466	7/11/2016	12	100ml	Acceptable
	3470	7/11/2016	8	100ml	Acceptable
	3806	7/18/2016	12	100ml	Acceptable
	3816	7/18/2016	4	100ml	Acceptable
	4114	7/25/2016	40	100ml	Acceptable
	4116	7/25/2016	10	100ml	Acceptable
	4454	8/2/2016	13	100ml	Acceptable
	4458	8/2/2016	12	100ml	Acceptable
	4771	8/8/2016	6	100ml	Acceptable
	4776	8/8/2016	2	100ml	Acceptable
	5128	8/15/2016	20	100ml	Acceptable
	5129	8/15/2016	17	100ml	Acceptable
	5441	8/22/2016	27	100ml	Acceptable
	5443	8/22/2016	39	100ml	Acceptable
	5761	8/29/2016	42	100ml	Acceptable
	5762	8/29/2016	30	100ml	Acceptable
	6218	9/7/2016	4	100ml	Acceptable
	6225	9/7/2016	12	100ml	Acceptable
				<b>E. coli Total:</b>	<b>26</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Shuswap Lake Provincial Park Beach

Site: 4120 Squilax-Anglemont Highway , Scotch Creek, BC

Owner: Ministry of Environment - Parks & Protected Areas

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2274	6/14/2016	< 2	100ml	Acceptable
	2275	6/14/2016	2	100ml	Acceptable
	2693	6/21/2016	2	100ml	Acceptable
	2694	6/21/2016	< 2	100ml	Acceptable
	2928	6/28/2016	< 2	100ml	Acceptable
	2974	6/28/2016	1	100ml	Acceptable
	3612	7/12/2016	< 2	100ml	Acceptable
	3613	7/12/2016	10	100ml	Acceptable
	3984	7/19/2016	8	100ml	Acceptable
	3985	7/19/2016	5	100ml	Acceptable
	4239	7/26/2016	32	100ml	Acceptable
	4248	7/26/2016	2	100ml	Acceptable
	4601	8/2/2016	< 2	100ml	Acceptable
	4603	8/2/2016	76	100ml	Acceptable
	4916	8/9/2016	< 2	100ml	Acceptable
	4917	8/9/2016	< 2	100ml	Acceptable
	5248	8/16/2016	< 2	100ml	Acceptable
	5249	8/16/2016	4	100ml	Acceptable
	5555	8/23/2016	2	100ml	Acceptable
	5569	8/23/2016	< 2	100ml	Acceptable
	6186	9/6/2016	8	100ml	Acceptable
	6190	9/6/2016	< 2	100ml	Acceptable
<b>E. coli Total:</b>					<b>22</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Sicamous Park Beach

Site: Silver Sands Road , Sicamous, BC

Owner: District of Sicamous

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2269	6/14/2016	15	100ml	Acceptable
	2270	6/14/2016	7	100ml	Acceptable
	2271	6/14/2016	17	100ml	Acceptable
	2689	6/21/2016	< 2	100ml	Acceptable
	2691	6/21/2016	2	100ml	Acceptable
	2703	6/21/2016	2	100ml	Acceptable
	2930	6/28/2016	2	100ml	Acceptable
	2931	6/28/2016	5	100ml	Acceptable
	2932	6/28/2016	5	100ml	Acceptable
	3242	7/5/2016	5	100ml	Acceptable
	3243	7/5/2016	7	100ml	Acceptable
	3244	7/5/2016	7	100ml	Acceptable
	3614	7/12/2016	8	100ml	Acceptable
	3615	7/12/2016	6	100ml	Acceptable
	3616	7/12/2016	24	100ml	Acceptable
	3986	7/19/2016	2	100ml	Acceptable
	3987	7/19/2016	5	100ml	Acceptable
	3988	7/19/2016	2	100ml	Acceptable
	4249	7/26/2016	2	100ml	Acceptable
	4250	7/26/2016	< 2	100ml	Acceptable
	4251	7/26/2016	2	100ml	Acceptable
	4589	8/2/2016	8	100ml	Acceptable
	4590	8/2/2016	< 2	100ml	Acceptable
	4591	8/2/2016	< 2	100ml	Acceptable
	4918	8/9/2016	6	100ml	Acceptable
	4919	8/9/2016	< 2	100ml	Acceptable
	4920	8/9/2016	8	100ml	Acceptable
	5255	8/16/2016	4	100ml	Acceptable
	5256	8/16/2016	3	100ml	Acceptable
	5257	8/16/2016	< 2	100ml	Acceptable
	5563	8/23/2016	2	100ml	Acceptable
	5564	8/23/2016	6	100ml	Acceptable
	5565	8/23/2016	8	100ml	Acceptable
	5973	8/30/2016	11	100ml	Acceptable
	5974	8/30/2016	2	100ml	Acceptable
	5975	8/30/2016	3	100ml	Acceptable
	6044	9/6/2016	10	100ml	Acceptable
	6045	9/6/2016	10	100ml	Acceptable
	6046	9/6/2016	< 2	100ml	Acceptable

**E. coli Total: 39**

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Skaha Beach

Site: South End of Penticton , Penticton, BC  
Owner: City of Penticton - Parks Department

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2395	6/15/2016	22	100ml	Acceptable
	2402	6/15/2016	90	100ml	Acceptable
	2697	6/21/2016	22	100ml	Acceptable
	2699	6/21/2016	8	100ml	Acceptable
	2926	6/28/2016	< 2	100ml	Acceptable
	2927	6/28/2016	18	100ml	Acceptable
	3233	7/5/2016	12	100ml	Acceptable
	3240	7/5/2016	160	100ml	Acceptable
	3605	7/12/2016	16	100ml	Acceptable
	3619	7/12/2016	4	100ml	Acceptable
	3989	7/19/2016	50	100ml	Acceptable
	3994	7/19/2016	34	100ml	Acceptable
	4243	7/26/2016	36	100ml	Acceptable
	4245	7/26/2016	6	100ml	Acceptable
	4588	8/2/2016	46	100ml	Acceptable
	4596	8/2/2016	58	100ml	Acceptable
	4908	8/9/2016	6	100ml	Acceptable
	4909	8/9/2016	120	100ml	Acceptable
	5251	8/16/2016	10	100ml	Acceptable
	5259	8/16/2016	20	100ml	Acceptable
	5558	8/23/2016	10	100ml	Acceptable
	5568	8/23/2016	85	100ml	Acceptable
	5867	8/30/2016	54	100ml	Acceptable
	5872	8/30/2016	5	100ml	Acceptable
	<b>E. coli Total:</b>				

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Strathcona Park

Site: 2290 Abbott Street , Kelowna, BC  
Owner: City of Kelowna-Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2263	6/14/2016	15	100ml	Acceptable
	2472	6/20/2016	2	100ml	Acceptable
	2802	6/27/2016	2	100ml	Acceptable
	3225	7/5/2016	20	100ml	Acceptable
	3473	7/11/2016	200	100ml	Acceptable
	3721	7/13/2016	10	100ml	Acceptable
	3813	7/18/2016	32	100ml	Acceptable
	4121	7/25/2016	6	100ml	Acceptable
	4455	8/2/2016	6	100ml	Acceptable
	4773	8/8/2016	4	100ml	Acceptable
	5133	8/15/2016	7	100ml	Acceptable
	5444	8/22/2016	6	100ml	Acceptable
	5767	8/29/2016	4	100ml	Acceptable
	6219	9/7/2016	< 2	100ml	Acceptable
	<b>E. coli Total:</b>				



## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Sudbury Beach

Site: Skaha Lake Road near channel , Penticton, BC

Owner: City of Penticton - Parks Department

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2397	6/15/2016	25	100ml	Acceptable
	2403	6/15/2016	4	100ml	Acceptable
	2688	6/21/2016	8	100ml	Acceptable
	2702	6/21/2016	43	100ml	Acceptable
	2920	6/28/2016	6	100ml	Acceptable
	2925	6/28/2016	36	100ml	Acceptable
	3235	7/5/2016	< 2	100ml	Acceptable
	3237	7/5/2016	20	100ml	Acceptable
	3606	7/12/2016	28	100ml	Acceptable
	3620	7/12/2016	12	100ml	Acceptable
	3980	7/19/2016	3	100ml	Acceptable
	3990	7/19/2016	20	100ml	Acceptable
	4238	7/26/2016	24	100ml	Acceptable
	4246	7/26/2016	20	100ml	Acceptable
	4585	8/2/2016	16	100ml	Acceptable
	4595	8/2/2016	24	100ml	Acceptable
	4904	8/9/2016	22	100ml	Acceptable
	4911	8/9/2016	26	100ml	Acceptable
	5246	8/16/2016	8	100ml	Acceptable
	5247	8/16/2016	64	100ml	Acceptable
	5559	8/23/2016	37	100ml	Acceptable
	5562	8/23/2016	14	100ml	Acceptable
	5871	8/30/2016	31	100ml	Acceptable
	5873	8/30/2016	< 2	100ml	Acceptable
<b>E. coli Total:</b>					<b>24</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Sun Oka Beach Provincial Park

Site: 6 km South of Highway 97 , Summerland, BC

Owner: BC Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	2370	6/14/2016	250	100ml	Acceptable
	2371	6/14/2016	17	100ml	Acceptable
	2478	6/20/2016	12	100ml	Acceptable
	2819	6/27/2016	5	100ml	Acceptable
	2821	6/27/2016	6	100ml	Acceptable
	3478	7/11/2016	7	100ml	Acceptable
	3480	7/11/2016	4	100ml	Acceptable
	4133	7/25/2016	20	100ml	Acceptable
	4134	7/25/2016	32	100ml	Acceptable
	4793	8/8/2016	10	100ml	Acceptable
	4795	8/8/2016	7	100ml	Acceptable
	5812	8/29/2016	6	100ml	Acceptable
	5813	8/29/2016	14	100ml	Acceptable
					<b>E. coli Total:</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Sunnybrae Park Beach

Site: Sunnybrae-Canoe Point Road , Tappen, BC  
Owner: Columbia Shuswap Regional District

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2400	6/15/2016	< 2	100ml	Acceptable	
	3036	6/29/2016	6	100ml	Acceptable	
	3246	7/5/2016	4	100ml	Acceptable	
	3734	7/13/2016	23	100ml	Acceptable	
	4020	7/20/2016	3320	100ml	Unacceptable	
	4140	7/25/2016	470	100ml	Unacceptable	
	4592	8/2/2016	16	100ml	Acceptable	
	4602	8/2/2016	6	100ml	Acceptable	
	5096	8/10/2016	50	100ml	Acceptable	
	5254	8/16/2016	20	100ml	Acceptable	
	6188	9/6/2016	< 2	100ml	Acceptable	
					<b>E. coli Total:</b>	<b>11</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Taghum Beach

Site: Granite Road , Nelson, BC

Owner: Regional District of Central Kootenay

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	B6WR000951	7/4/2016	5	100ml	Acceptable
	B6WR000952	7/4/2016	5	100ml	Acceptable
	B6WR000953	7/4/2016	5	100ml	Acceptable
	B6WR001087	7/11/2016	> 5	100ml	Acceptable
	B6WR001088	7/11/2016	> 5	100ml	Acceptable
	B6WR001089	7/11/2016	< 5	100ml	Acceptable
	B6WR001198	7/18/2016	105	100ml	Acceptable
	B6WR001199	7/18/2016	10	100ml	Acceptable
	B6WR001200	7/18/2016	10	100ml	Acceptable
	B6WR001341	7/25/2016	< 5	100ml	Acceptable
	B6WR001342	7/25/2016	55	100ml	Acceptable
	B6WR001343	7/25/2016	45	100ml	Acceptable
	B6WR001486	8/2/2016	20	100ml	Acceptable
	B6WR001487	8/2/2016	14	100ml	Acceptable
	B6WR001488	8/2/2016	5	100ml	Acceptable
	B6WR001562	8/8/2016	14	100ml	Acceptable
	B6WR001563	8/8/2016	10	100ml	Acceptable
	B6WR001564	8/8/2016	< 5	100ml	Acceptable
	B6WR001743	8/15/2016	27	100ml	Acceptable
	B6WR001744	8/15/2016	20	100ml	Acceptable
	B6WR001742	8/18/2016	5	100ml	Acceptable
	B6WR001916	8/22/2016	5	100ml	Acceptable
	B6WR001917	8/22/2016	> 5	100ml	Acceptable
	B6WR001918	8/22/2016	5	100ml	Acceptable
	B6WR002115	8/30/2016	36	100ml	Acceptable
	B6WR002115	8/30/2016	36	100ml	Acceptable
	B6WR002116	8/30/2016	30	100ml	Acceptable
	B6WR002117	8/30/2016	40	100ml	Acceptable
	B6WR002199	9/6/2016	< 5	100ml	Acceptable
	B6WR002200	9/6/2016	< 5	100ml	Acceptable
	B6WR002201	9/6/2016	< 5	100ml	Acceptable

**E. coli Total: 31**

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Wasa Lake Beach

No Site Address Information

Owner: Ministry of Environment - BC Parks- EK

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>	B6WR000573	6/15/2016	15	100ml	Acceptable
	B6WR000574	6/15/2016	< 5	100ml	Acceptable
	B6WR000575	6/15/2016	< 5	100ml	Acceptable
	B6WR000576	6/15/2016	< 5	100ml	Acceptable
	B6WR000577	6/15/2016	9	100ml	Acceptable
	B6WR000578	6/15/2016	< 5	100ml	Acceptable
	B6WR000829	6/28/2016	< 5	100ml	Acceptable
	B6WR000830	6/28/2016	< 5	100ml	Acceptable
	B6WR000831	6/28/2016	< 5	100ml	Acceptable
	B6WR000832	6/28/2016	< 5	100ml	Acceptable
	B6WR000833	6/28/2016	< 5	100ml	Acceptable
	B6WR000834	6/28/2016	< 5	100ml	Acceptable
	B6WR001258	7/19/2016	5	100ml	Acceptable
	B6WR001259	7/19/2016	5	100ml	Acceptable
	B6WR001260	7/19/2016	5	100ml	Acceptable
	B6WR001261	7/19/2016	5	100ml	Acceptable
	B6WR001262	7/19/2016	5	100ml	Acceptable
	B6WR001263	7/19/2016	5	100ml	Acceptable
	B6WR001499	8/3/2016	5	100ml	Acceptable
	B6WR001500	8/3/2016	< 5	100ml	Acceptable
	B6WR0015008	8/3/2016	5	100ml	Acceptable
	B6WR001505	8/3/2016	< 5	100ml	Acceptable
	B6WR001506	8/3/2016	< 5	100ml	Acceptable
	B6WR001507	8/3/2016	< 5	100ml	Acceptable
	B6WR002013	8/24/2016	5	100ml	Acceptable
	B6WR002014	8/24/2016	5	100ml	Acceptable
	B6WR002015	8/24/2016	5	100ml	Acceptable
	B6WR002016	8/24/2016	5	100ml	Acceptable
	B6WR002017	8/24/2016	5	100ml	Acceptable
	B6WR002018	8/24/2016	5	100ml	Acceptable
<b>E. coli Total:</b>					<b>30</b>

## Interior Health Authority Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

### Waterfront Park

Site: 1200 Water Street , Kelowna, BC  
Owner: City of Kelowna-Parks

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2259	6/14/2016	4	100ml	Acceptable	
	2264	6/14/2016	4	100ml	Acceptable	
	2465	6/20/2016	90	100ml	Acceptable	
	2467	6/20/2016	30	100ml	Acceptable	
	2803	6/27/2016	530	100ml	Unacceptable	
	2806	6/27/2016	23	100ml	Acceptable	
	3219	7/5/2016	20	100ml	Acceptable	
	3224	7/5/2016	10	100ml	Acceptable	
	3465	7/11/2016	12	100ml	Acceptable	
	3471	7/11/2016	220	100ml	Acceptable	
	3722	7/13/2016	<- 2200	100ml	Unacceptable	
	3724	7/13/2016	390	100ml	Acceptable	
	3807	7/18/2016	3	100ml	Acceptable	
	3808	7/18/2016	12	100ml	Acceptable	
	4113	7/25/2016	28	100ml	Acceptable	
	4118	7/25/2016	40	100ml	Acceptable	
	4453	8/2/2016	26	100ml	Acceptable	
	4463	8/2/2016	2	100ml	Acceptable	
	4772	8/8/2016	48	100ml	Acceptable	
	4779	8/8/2016	8	100ml	Acceptable	
	5131	8/15/2016	24	100ml	Acceptable	
	5132	8/15/2016	54	100ml	Acceptable	
	5435	8/22/2016	17	100ml	Acceptable	
	5439	8/22/2016	18	100ml	Acceptable	
	5763	8/29/2016	6	100ml	Acceptable	
	5769	8/29/2016	13	100ml	Acceptable	
	6223	9/7/2016	< 2	100ml	Acceptable	
	6224	9/7/2016	2	100ml	Acceptable	
	<b>E. coli Total:</b>					<b>28</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Windermere Beach

No Site Address Information

Owner: Regional District of East Kootenay

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM	
<b>E. coli</b>					
	B6WR000510	6/13/2016	36	100ml	Acceptable
	B6WWR000629	6/20/2016	< 5	100ml	Acceptable
	B6WR000760	6/27/2016	< 5	100ml	Acceptable
	B6WR000902	7/4/2016	< 5	100ml	Acceptable
	B6WR001040	7/11/2016	< 5	100ml	Acceptable
	B6WR001190	7/18/2016	< 5	100ml	Acceptable
	B6WR001349	7/25/2016	< 5	100ml	Acceptable
	B6WR001582	8/8/2016	5	100ml	Acceptable
	B6WR001711	8/15/2016	35	100ml	Acceptable
	B6WR001928	8/22/2016	5	100ml	Acceptable
	B6WR002053	8/29/2016	5	100ml	Acceptable
				<b>E. coli Total:</b>	<b>11</b>

## Interior Health Authority

### Sample History: Sample Parameter Report

*Filtered by: Sample Date From: 6/1/2016, Sample Date To: 9/9/2016, Sample Type: Beach , Include Acceptable Parameter Results*

## Wood Lake Beach

Site: Wood Lake , Lake Country, BC  
Owner: District of Lake Country

**Beach**

Sample Parameter	Sample Identifier	Date Collected	Result	UOM		
<b>E. coli</b>	2241	6/14/2016	5	100ml	Acceptable	
	2477	6/20/2016	< 2	100ml	Acceptable	
	2813	6/27/2016	2	100ml	Acceptable	
	3115	7/4/2016	8	100ml	Acceptable	
	3599	7/12/2016	2	100ml	Acceptable	
	3855	7/18/2016	2	100ml	Acceptable	
	4124	7/25/2016	8	100ml	Acceptable	
	4469	8/2/2016	< 2	100ml	Acceptable	
	4788	8/8/2016	2	100ml	Acceptable	
	5144	8/15/2016	10	100ml	Acceptable	
	5449	8/22/2016	2	100ml	Acceptable	
	5774	8/29/2016	4	100ml	Acceptable	
					<b>E. coli Total:</b>	<b>12</b>
					<b>Report Total:</b>	<b>953</b>