

Student Name: \_\_\_\_\_

Year of Schooling Completed at the Start of Employment: \_\_\_\_\_

School of Nursing: \_\_\_\_\_

### Choose one option for each skill:

- 0 – **Not** covered in theory OR lab
- 1 – Completed theory & lab **ONLY**
- 2 – Completed theory & lab, **OBSERVED** in practice
- 3 – Completed theory & lab, performed under **DIRECT SUPERVISION**
- 4 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **NON-COMPLEX** presentations
- 5 – Completed theory & lab, performed under **DIRECT SUPERVISION** in practice within **COMPLEX** presentations
- 6 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **MULTIPLE COMPLEX** presentations

Please add relevant clinical experience you will be completing between the time of completion of this form and the time you will be starting work.

## Collect Measurements

Height & Weight	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Intake & Output	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Limb/Head/Torso circumference	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Measures Vital Signs

Temperature	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Blood Pressure	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Pulse	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Respirations	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Pulse Oximetry	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Recognize & respond to abnormal VS (Report abnormal findings to Most Responsible Clinician / Physician)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Collect Samples

Stool & Urine samples	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Sterile Urine Sample	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Nasal & Groin Swabs	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Nasal Pharyngeal swabs	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Culture & Sensitivity Swabs of wounds	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

Student Name: \_\_\_\_\_

Year of Schooling Completed at the Start of Employment: \_\_\_\_\_

School of Nursing: \_\_\_\_\_

## Choose one option for each skill:

- 0 – **Not** covered in theory OR lab
- 1 – Completed theory & lab **ONLY**
- 2 – Completed theory & lab, **OBSERVED** in practice
- 3 – Completed theory & lab, performed under **DIRECT SUPERVISION**
- 4 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **NON-COMPLEX** presentations
- 5 – Completed theory & lab, performed under **DIRECT SUPERVISION** in practice within **COMPLEX** presentations
- 6 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **MULTIPLE COMPLEX** presentations

## Personal Care

Inspect, clean & moisturize skin	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Shower / bath / bed baths or set-up for basin / sink washes	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Uncomplicated foot & nail care – Clip & File <b>only</b>	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Apply non-prescription creams / ointments	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Oral hygiene	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Apply cold gel packs (IH approved product)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Apply warm packs (IH approved product)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Apply & /or remove prosthetic / orthotic devices (slings, braces, splints)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Apply & /or remove compression therapy (< 20mmHG of pressure)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assist / set up of sitz bath	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Prepare skin for surgery	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Mobility Needs

Assess and assist with walking, moving, transferring with or without mechanical aids	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Supervise, direct, encourage and assist with active ROM exercises	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assist with low-risk active exercises	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Supervise, direct, encourage and assist with passive ROM exercises	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform cast care & /or pin care	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Care, application & removal of traction (skin & skeletal)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Apply slings or supports for soft tissue injury / sprains	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Nutritional Needs

Select & enter orders for appropriate diet type, texture & portion size	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assist with feeding / hydration (push fluids / monitor oral intake)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Administer & monitor a therapeutic diet through a feeding tube (NG, gastrostomy, jejunostomy, PEG tube)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform regular care / dressing changes of gastroenteral tube site	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Insert nasogastric tube (NG)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Maintain & remove nasogastric tube (NG)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Administer total parenteral nutrition (TPN) following IH protocols	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

Student Name: \_\_\_\_\_

Year of Schooling Completed at the Start of Employment: \_\_\_\_\_

School of Nursing: \_\_\_\_\_

**Choose one option for each skill:**

- 0 – **Not** covered in theory OR lab
- 1 – Completed theory & lab **ONLY**
- 2 – Completed theory & lab, **OBSERVED** in practice
- 3 – Completed theory & lab, performed under **DIRECT SUPERVISION**
- 4 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **NON-COMPLEX** presentations
- 5 – Completed theory & lab, performed under **DIRECT SUPERVISION** in practice within **COMPLEX** presentations
- 6 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **MULTIPLE COMPLEX** presentations

## Elimination Needs / Bowel Care

Assist with toileting	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform bowel care	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Insert rectal tube	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Remove rectal tube	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform digital stimulation of anal verge	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform fecal disimpaction	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Observe & report skin integrity/stoma condition	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Empty & replace ostomy bag	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Bladder Care (Urinary Drainage System)

Apply, remove, reapply condom catheter	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Empty, change, clean catheter & drainage bag	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Change & cleanse urostomy appliance	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform urinary catheterization (indwelling, in & out)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Initiate, monitor & discontinue continuous bladder irrigation (CBI)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform intermittent urinary catheter irrigation	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform urinary catheterization using a coude tip catheter	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Re-insert a well established suprapubic catheter	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Initiate, monitor and discontinue peritoneal dialysis	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Use bladder scanner	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Sensory Needs

Clean & insert hearing aids	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Clean, insert & /or removal of prosthetic eye	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Clean, insert & /or removal of eye glasses	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

Student Name: \_\_\_\_\_

Year of Schooling Completed at the Start of Employment: \_\_\_\_\_

School of Nursing: \_\_\_\_\_

## Choose one option for each skill:

- 0 – **Not** covered in theory OR lab
- 1 – Completed theory & lab **ONLY**
- 2 – Completed theory & lab, **OBSERVED** in practice
- 3 – Completed theory & lab, performed under **DIRECT SUPERVISION**
- 4 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **NON-COMPLEX** presentations
- 5 – Completed theory & lab, performed under **DIRECT SUPERVISION** in practice within **COMPLEX** presentations
- 6 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **MULTIPLE COMPLEX** presentations

## Mental Health & Substance Use

Perform mental health assessment	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Implement least restraint intervention as per IH policy	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform de-escalation techniques for an emotional crisis/behavioural emergency	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assess, implement & document AGG protocol as per IH policy	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Use of chemical restraints - selection, administration & management	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform suicide risk screening & assessment	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Palliative & End-of-Life Care

Pronounce death	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Prepare the body after death in accordance with the care plan (i.e. Coroner's case, family requests, organ donation, cultural / religious considerations)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Removal, inventory, and documentation of valuables / personal belongings of the deceased	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Transportation, storage and release of the body	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Documentation

Formulate a nursing diagnosis	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Set-up / build patient chart	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Document observations, actions, interventions and plan of ongoing & / or anticipatory care	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Measure and record intake & output	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Complete systems assessments and document findings on flowsheets & assessment tools (48 / 6, ACE)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Develop a care plan using patient centered care approach	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Collaborate on developing & updating of care plan	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Utilize SBAR & IDRAW tools when reporting patient concerns to MRPs	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

Student Name: \_\_\_\_\_

Year of Schooling Completed at the Start of Employment: \_\_\_\_\_

School of Nursing: \_\_\_\_\_

**Choose one option for each skill:**

- 0 – **Not** covered in theory OR lab
- 1 – Completed theory & lab **ONLY**
- 2 – Completed theory & lab, **OBSERVED** in practice
- 3 – Completed theory & lab, performed under **DIRECT SUPERVISION**
- 4 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **NON-COMPLEX** presentations
- 5 – Completed theory & lab, performed under **DIRECT SUPERVISION** in practice within **COMPLEX** presentations
- 6 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **MULTIPLE COMPLEX** presentations

## Assessments / Interventions & Labs

Perform head to toe assessment	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assess, initiate treatment & monitor pain status	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform adult swallowing screen assessment	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Blood glucose monitoring	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform & document Braden Risk and Skin assessment	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform & document neuro vitals assessment (Glasgow Coma Scale)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform CIWA assessment for those withdrawing from ETOH	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Implement Safe Patient Handling Protocols	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Understand the pathophysiological changes that occur in the elderly (cognitive, physical) & provide appropriate nursing interventions	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform & document confusion assessment (CAM, PRISME)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Understand & respond to abnormal CBC lab values	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Understand & respond to abnormal electrolyte values	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Understand & respond to abnormal liver panel lab values	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Understand & respond to abnormal renal lab values	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Understand ABG results	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

Student Name: \_\_\_\_\_  
 Year of Schooling Completed at the Start of Employment: \_\_\_\_\_  
 School of Nursing: \_\_\_\_\_

**Choose one option for each skill:**

- 0 – **Not** covered in theory OR lab
- 1 – Completed theory & lab **ONLY**
- 2 – Completed theory & lab, **OBSERVED** in practice
- 3 – Completed theory & lab, performed under **DIRECT SUPERVISION**
- 4 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **NON-COMPLEX** presentations
- 5 – Completed theory & lab, performed under **DIRECT SUPERVISION** in practice within **COMPLEX** presentations
- 6 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **MULTIPLE COMPLEX** presentations

## Respiratory Needs

Insertion of an oral airway	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assist with Incentive Spirometry	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assist with use of CPAP or BiPAP	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Remove & re-apply oxygen delivery devices (ex. nasal prongs, simple mask)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Disconnect & reconnect oxygen source	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Initiate & monitor low flow oxygen	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Initiate & monitor high flow oxygen	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform mouth suction (oropharyngeal)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform deep suctioning (beyond the pharynx)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform nasal suction beyond where passage normally narrows	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Change &/or remove a tracheostomy tube (inner cannula)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Provide tracheotomy care including suctioning	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assess & monitor chest tube devices	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Chest Tube - Obtain fluid samples	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Pleurex drain - Change dressing & empty collection chamber	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Pneumostat - Change dressing & empty collection chamber	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Troubleshoot chest tubes (inadvertent chest tube removal, chest tube disconnected from closed drainage system)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assess, initiate treatment & monitor COPD exacerbations	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Monitor obstructive sleep apnea	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Respond to acute respiratory distress	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Assistive Tubes & Drains

Assess & monitor percutaneous tubes (JP, Hemovac, Penrose)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Cleanse & apply dressings as needed to tube insertion site	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Empty & document output from drainage tubes on In & Out record	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Remove percutaneous tubes	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Irrigate percutaneous tubes	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Irrigate nephrostomy tubes	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

Student Name: \_\_\_\_\_

Year of Schooling Completed at the Start of Employment: \_\_\_\_\_

School of Nursing: \_\_\_\_\_

## Choose one option for each skill:

- 0 – **Not** covered in theory OR lab
- 1 – Completed theory & lab **ONLY**
- 2 – Completed theory & lab, **OBSERVED** in practice
- 3 – Completed theory & lab, performed under **DIRECT SUPERVISION**
- 4 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **NON-COMPLEX** presentations
- 5 – Completed theory & lab, performed under **DIRECT SUPERVISION** in practice within **COMPLEX** presentations
- 6 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **MULTIPLE COMPLEX** presentations

## Circulatory Needs

Initiate CPR	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Initiate automated external defibrillation (AED)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Use Doppler ultrasound to assess peripheral pulses	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Monitor & document peripheral pulses (Radial, Pedal, Popliteal, Carotid)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assess & monitor colour, movement, sensation, & warmth of all limbs	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assess, monitor & document peripheral edema	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assess, monitor & document on dermatomes (associated with intrathecal/epidural anesthesia)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Medication Administration

Complete Best Possible Medication History (Med Reconciliation)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Access & dispense medication (compliance packaging, Omincel, PRNs)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Administer medications via oral, sublingual, enteral, transdermal, intranasal, intradermal, ocular, topical, rectal, vaginal, subcutaneous, & intramuscular routes	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Dispense narcotics/control substances as per IH Pharmacy protocols	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Performs Independent Double Checks when administering high risk drugs &/or pediatric dosing as per IH Pharmacy Protocols	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Administer IV medications	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Initiate & monitor infusion of IV bags containing electrolytes (ex. KCl, vitamin solutions)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Infusion Devices

Insert, maintain & remove subcutaneous infusion devices (SQ Butterfly)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Insert, maintain & remove peripheral intravenous devices (PVAD)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Administer IV medications via infusion pumps (CADD, Baxter, Sigma Spectrum pumps)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Maintain & remove PICC line devices	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Access, maintain & lock off percutaneous IV devices (Port-a-cath, Midline catheter)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6



Student Name: \_\_\_\_\_  
 Year of Schooling Completed at the Start of Employment: \_\_\_\_\_  
 School of Nursing: \_\_\_\_\_

**Choose one option for each skill:**

- 0 – **Not** covered in theory OR lab
- 1 – Completed theory & lab **ONLY**
- 2 – Completed theory & lab, **OBSERVED** in practice
- 3 – Completed theory & lab, performed under **DIRECT SUPERVISION**
- 4 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **NON-COMPLEX** presentations
- 5 – Completed theory & lab, performed under **DIRECT SUPERVISION** in practice within **COMPLEX** presentations
- 6 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **MULTIPLE COMPLEX** presentations

## Medicated / Non-medicated Peripheral IV Infusion

Set-up & prime tubing	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Initiate & monitor infusion of IV fluid bags (non-medicated)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Initiate intermittent IV infusions, including initial set-up and changing from continuous to intermittent devices	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Discontinue IV infusion	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Administer fluids & medications via central venous access devices (PICCs, CVADs, Midlines)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Change dressings on CVADs	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Initiate, monitor & discontinue administration of blood/blood products	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Follow IH protocol for blood product pick up & drop off (iLearn 3402)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Basic Skin & Wound Care

Create & implement wound care plan	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Assess & record wound bed measurements	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform dressing change on intact skin	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform dressing change on superficial wound site	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Perform dressing change using specialized wound care products (ex. moist, non-adherent, silver)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Shorten &/or remove wound drains / devices	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Remove staples & sutures	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Complex Wound Care

Submit request for consultation with Wound Care specialist including uploading data to Pixalere	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Care for a tunneled wound (probing, irrigating & packing)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Knowledge of advanced wound care products including indications for use (i.e. Inadine, Aquacel, Adaptic)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6



Student Name: \_\_\_\_\_

Year of Schooling Completed at the Start of Employment: \_\_\_\_\_

School of Nursing: \_\_\_\_\_

## Choose one option for each skill:

- 0 – **Not** covered in theory OR lab
- 1 – Completed theory & lab **ONLY**
- 2 – Completed theory & lab, **OBSERVED** in practice
- 3 – Completed theory & lab, performed under **DIRECT SUPERVISION**
- 4 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **NON-COMPLEX** presentations
- 5 – Completed theory & lab, performed under **DIRECT SUPERVISION** in practice within **COMPLEX** presentations
- 6 – Completed theory & lab, performed **INDEPENDENTLY** in practice within **MULTIPLE COMPLEX** presentations

## Infection Control Practices

Donning & doffing of PPE	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Understand & implement Airborne precautions	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Understand & implement Biohazard management	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Understand & implement Contact precautions	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Understand & implement Droplet precautions	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Understand & implement Outbreak management (GI/RI)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Implement infection control protocols to prevent cross contamination	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Implement safe handling of biohazards & sharps	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Understand & implement universal precautions	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## Emergency Response

Understanding of Emergency Codes & how to activate (ex. code white, blue, etc.)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Initiate treatment of anaphylaxis	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Initiate treatment of hypoglycemia	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
Initiate treatment of opioid toxicity	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

## How confident are you in critical thinking, priority setting & teamwork?

I am able to recognize and take action when patient/client safety is compromised (i.e. real or near misses)?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
I am able to critically think and trouble shoot situations that are new to me?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
I am able to organize my patient/client assignment/workload for my shift?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
I am able to set care priorities and effectively manage my time on shift?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
I am able to recognize and take appropriate action when I identify my patient/client's condition is deteriorating?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6